

# SOLARIS COOL ROOF SHINGLES

Landmark® Series



**CertainTeed**  
SAINT-GOBAIN

Landmark Solaris, shown in Solaris Moire Black

# Trust Your Home to Landmark® Solaris



*NOTE: Due to limitations of printing reproduction, CertainTeed can not guarantee the identical match of the actual product color to the graphic representations throughout this publication.*


 High-Quality,  
Reliable  
Choice
 +
 
 Industry-  
Best  
Warranty
 +
 
 Century of  
Trusted  
Performance
 = PEACE  
OF MIND



Landmark Solaris, shown in Solaris Birchwood

## The heat reflects away, and your home stays cool.

The CertainTeed Cool Roof Shingle Collection is a brilliant breakthrough that puts cool roof technology to work for you. Plus, our palette of rich, authentic colors makes it an easy choice for eco-friendly living.

The secret is in CertainTeed's advanced roofing granules that reflect solar energy and radiant heat far better than traditional roofing shingles, reducing your roof's temperature in the summer.

CertainTeed Cool Roof Shingles are ecologically smart, beautifully durable, and architecturally ideal for sunny climates or anywhere solar heat is a challenge.

## Technology that protects the beauty of your roof and strengthens its performance.

### **NAILTrak**<sup>®</sup> Shingle Technology

#### The bond that holds it together.

For more than a decade, NailTrak has improved shingle installation by providing a nailing area three times wider than that of a typical laminate shingle. This increases efficiency and accuracy in installation, providing homeowners greater peace of mind. Landmark<sup>®</sup> Solaris shingles also feature our specially-formulated Quadra-Bond<sup>®</sup> adhesive, providing industry-leading resistance to delamination. Together, our NailTrak and Quadra-Bond technologies deliver the strength and durability that allow your roof to stand the test of time.




Diagram for illustrative purposes only.



# The Trusted Classic

## LANDMARK® SOLARIS

Owning a Landmark Solaris roof brings peace of mind. Landmark Solaris's dual-layered construction and exceptional durability provide long-lasting protection for your home.

- Dual-layered for extra dimensionality and protection from the elements
- Offers the widest array of colors in the industry
- Independently certified as meeting the highest quality standards for roofing
- All are rated by the Cool Roof Rating Council (CRRC) and can be used to comply with the 2019 California Title 24 Part 6 Cool Roof Requirements
- Select colors can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction



Solaris Silver Birch

# LANDMARK® SOLARIS COLOR PALETTE



Solaris Silver Birch\*  
CRRP Product ID 0668-0072



Solaris Birchwood  
CRRP Product ID 0668-0084



Solaris Georgetown Gray\*  
CRRP Product ID 0668-0116



Solaris Weathered Wood\*  
CRRP Product ID 0668-0119



Solaris Burnt Sienna\*  
CRRP Product ID 0668-0153



Solaris Resawn Shake\*  
CRRP Product ID 0668-0118



Solaris Mist White\*  
CRR Product ID 0668-0071



Solaris Crystal Gray\*  
CRR Product ID 0668-0058



Solaris Moire Black  
CRR Product ID 0668-0129




Solaris Heather Blend\*  
CRR Product ID 0668-0117



Solaris Mojave Tan  
CRR Product ID 0668-0115



The colors marked with \* can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction.





# The Expert's Choice

## LANDMARK® PRO SOLARIS

A refined union of vision and value, our PRO line leads its class in optimal performance and variety of color.

- Engineered to meet professional contractors' exacting specifications
- Available in a wide selection of eye-catching **Max Def** colors
- Outweighs standard laminates to provide greater protection from the elements
- All are rated by the Cool Roof Rating Council (CRRC) and can be used to comply with the 2019 California Title 24 Part 6 Cool Roof Requirements
- Select colors can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction



*Solaris Max Def Weathered Wood*

# LANDMARK® PRO SOLARIS COLOR PALETTE



Solaris Silver Birch\*  
CRRP Product ID 0668-0072



Solaris Max Def Georgetown Gray\*  
CRRP Product ID 0668-0122



Solaris Max Def Heather Blend  
CRRP Product ID 0668-0123



Solaris Max Def Burnt Sienna\*  
CRRP Product ID 0668-0154



Solaris Max Def Weathered Wood\*  
CRRP Product ID 0668-0125



Solaris Max Def Moire Black  
CRRP Product ID 0668-0130



Solaris Max Def Resawn Shake  
CRRP Product ID 0668-0124



The colors marked with \* can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction.



# Depth of Character

## LANDMARK® TL SOLARIS

Dramatically thick. Classically elegant. These wood-inspired shakes offer triple lamination for rugged wear with real charisma.

- Look of hand-split cedar
- Patented 3-layer laminate
- Random tab design and unique natural shadows
- A luxury-class shingle produced at a fraction of the cost of wood shake
- All are rated by the Cool Roof Rating Council (CRR) and can be used to comply with the 2019 California Title 24 Part 6 Cool Roof Requirements



*Solaris Country Gray*

# LANDMARK® TL SOLARIS COLOR PALETTE



Solaris Country Gray  
CRRRC Product ID 0668-0149



Solaris Platinum  
CRRRC Product ID 0668-0147



Solaris Moire Black  
CRRRC Product ID 0668-0148



# Strength with Style


## LANDMARK® SOLARIS

- Dual-layer durability
- Industry-best lifetime limited warranty

## LANDMARK® PRO SOLARIS

- Dual-layer, high performance
- Max Def color palette
- Industry-best lifetime limited warranty

## LANDMARK® TL SOLARIS

- Triple-layer, high performance
- Industry-best lifetime limited warranty
- 15-year StreakFighter® algae-resistance warranty  (where available)

### Solar Reflectivity (SR), Thermal Emittance (TE) & Solar Reflectance Index (SRI) Data

| Product       | Color                           | Tier   | CRRC Rated Product Directory |                   |         |                   |         |                        | CA 2019 Title 24 | L.A. County Title 31** | Energy Star Certified |      |
|---------------|---------------------------------|--------|------------------------------|-------------------|---------|-------------------|---------|------------------------|------------------|------------------------|-----------------------|------|
|               |                                 |        | Product ID                   | Solar Reflectance |         | Thermal Emittance |         | Solar Reflective Index |                  |                        |                       |      |
|               |                                 |        |                              | Initial           | Aged    | Initial           | Aged    | Initial                |                  |                        |                       | Aged |
| Landmark®     | Solaris Birchwood               | Good   | 0668-0084                    | 0.21              | 0.21    | 0.92              | 0.83    | 21                     | 17               | YES                    | NO                    | NO   |
| Landmark®     | Solaris Burnt Sienna            | Good   | 0668-0153                    | 0.20              | pending | 0.92              | pending | 20                     | pending          | YES                    | YES                   | NO   |
| Landmark®     | Solaris Crystal Gray            | Good   | 0668-0058                    | 0.27              | 0.26    | 0.92              | 0.90    | 29                     | 27               | YES                    | YES                   | YES  |
| Landmark®     | Solaris Georgetown Gray         | Good   | 0668-0116                    | 0.20              | 0.20    | 0.91              | 0.92    | 19                     | 20               | YES                    | YES                   | NO   |
| Landmark®     | Solaris Heather Blend           | Good   | 0668-0117                    | 0.20              | 0.20    | 0.91              | 0.92    | 19                     | 20               | YES                    | YES                   | NO   |
| Landmark®     | Solaris Mist White              | Good   | 0668-0071                    | 0.26              | 0.28    | 0.92              | 0.90    | 28                     | 29               | YES                    | YES                   | YES  |
| Landmark®     | Solaris Moire Black             | Good   | 0668-0129                    | 0.19              | 0.18    | 0.91              | 0.92    | 18                     | 17               | YES                    | NO                    | NO   |
| Landmark®     | Solaris Mojave Tan              | Good   | 0668-0115                    | 0.19              | 0.20    | 0.88              | 0.90    | 17                     | 19               | YES                    | NO                    | NO   |
| Landmark®     | Solaris Resawn Shake            | Good   | 0668-0118                    | 0.19              | 0.20    | 0.92              | 0.93    | 19                     | 20               | YES                    | YES                   | NO   |
| Landmark®     | Solaris Silver Birch            | Good   | 0668-0072                    | 0.26              | 0.27    | 0.90              | 0.89    | 27                     | 28               | YES                    | YES                   | YES  |
| Landmark®     | Solaris Weathered Wood          | Good   | 0668-0119                    | 0.20              | 0.21    | 0.91              | 0.91    | 19                     | 21               | YES                    | YES                   | NO   |
| Landmark® PRO | Solaris Max Def Burnt Sienna    | Better | 0668-0154                    | 0.21              | pending | 0.92              | pending | 21                     | pending          | YES                    | YES                   | NO   |
| Landmark® PRO | Solaris Max Def Georgetown Gray | Better | 0668-0122                    | 0.20              | pending | 0.94              | pending | 21                     | pending          | YES                    | YES                   | NO   |
| Landmark® PRO | Solaris Max Def Heather Blend   | Better | 0668-0123                    | 0.19              | pending | 0.93              | pending | 19                     | pending          | YES                    | NO                    | NO   |
| Landmark® PRO | Solaris Max Def Moire Black     | Better | 0668-0150                    | 0.19              | 0.18    | 0.91              | 0.92    | 18                     | 17               | YES                    | NO                    | NO   |
| Landmark® PRO | Solaris Max Def Resawn Shake    | Better | 0668-0124                    | 0.19              | pending | 0.93              | pending | 19                     | pending          | YES                    | NO                    | NO   |
| Landmark® PRO | Solaris Max Def Weathered Wood  | Better | 0668-0125                    | 0.21              | pending | 0.94              | pending | 22                     | pending          | YES                    | YES                   | NO   |
| Landmark®     | Solaris Silver Birch            | Better | 0668-0072                    | 0.26              | 0.27    | 0.90              | 0.89    | 27                     | 28               | YES                    | YES                   | YES  |
| Landmark® TL  | Solaris Country Gray            | Best   | 0668-0149                    | 0.21              | 0.20    | 0.92              | 0.90    | 21                     | 19               | YES                    | NO                    | NO   |
| Landmark® TL  | Solaris Moire Black             | Best   | 0668-0148                    | 0.19              | 0.19    | 0.93              | 0.91    | 19                     | 18               | YES                    | NO                    | NO   |
| Landmark® TL  | Solaris Platinum                | Best   | 0668-0147                    | 0.21              | 0.20    | 0.93              | 0.90    | 22                     | 19               | YES                    | NO                    | NO   |

\* Can be used to comply with the 2019 California Title 24 Part 6 Cool Roof Requirements.  
\*\* Can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction.



## LANDMARK SERIES

### SPECIFICATIONS

- Two-piece (Landmark Solaris and Landmark Pro Solaris) and three-piece (Landmark TL Solaris) laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- Complies with the 2019 California Title 24 Part 6 Cool Roof Requirements.
- Complies with Los Angeles County, California Title 31 Cool Roof Requirements for steep-sloped (roof slope > 2:12) residential construction



For U.S. building code compliance, see product specification sheets.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

#### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

#### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

#### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5


#### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537

### WARRANTY

- Lifetime limited transferable warranty against manufacturing defects on residential applications
- 50-year limited transferable warranty against manufacturing defects on group-owned or commercial applications (Landmark PRO Solaris and Landmark TL Solaris)
- 15-year StreakFighter® algae-resistance warranty (Landmark TL Solaris - where available)
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required

See actual warranty for specific details and limitations.



# Integrity Roof System™

A COMPLETE APPROACH TO LONG LASTING BEAUTY AND PERFORMANCE



With as much care as you take in selecting the right contractor, choosing the right roof system is equally as important. A CertainTeed Integrity Roof System combines key elements that help ensure you have a well-built roof for long-lasting performance.

## 1. Waterproofing Underlayment

The first step in your defense against the elements. Self-adhering underlayment is installed at vulnerable areas of your roof to help prevent leaks from wind-driven rain and ice dams.

## 2. Water-Resistant Underlayment

Provides a protective layer over the roof deck and acts as a secondary barrier against leaks.

## 3. Starter Shingles

Starter Shingles are the first course of shingles that are installed and designed to work in tandem with the roof shingles above for optimal shingle sealing and performance.

## 4. Shingles

Choose from a variety of Good-Better-Best styles to complement any roof design and fit your budget.

## 5. Hip & Ridge Caps

Available in numerous profiles, these accessories are used on the roof's hip and ridge lines for a distinctive finishing touch to your new roof.

## 6. Ventilation

A roof that breathes is shown to perform better and last longer. Ridge Vents, in combination with Intake Vents, allow air to flow on the underside of your roof deck, keeping the attic cooler in the summer and drier in the winter.

learn more at:

[certainteed.com/roofing](https://certainteed.com/roofing)

Landmark®  
Solaris Series  
available in  
areas shown



### CertainTeed

CEILINGS • DECKING • FENCE • GYPSUM • INSULATION • RAILING • ROOFING • SIDING • TRIM

20 Moores Road Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 [certainteed.com](https://certainteed.com)